


SEATING
ERGONOMIC TOOLS
WORKSPACES
CUSTOM SOLUTIONS

MIDCELLI



	SPEC DESCRIPTION	MEASUREMENT
1	Backrest Width, Shoulder Region	18.41"
	Backrest Width, Lumbar Region	19.53"
2	Backrest Height	25.13"
	Backrest Height Adjustment	2.50"
3	Lumbar Height Adjustment	2.50"
4	Seat Width	21.00"
5	Seat Depth	19.00"
	Seat Depth Adjustment	2.50"
6	Seat Height (range)	17.00" - 21.50"
	Seat Height Adjustment	4.50"
	Seat-to-Back Angle (range)	80° - 110°
	Chair Swivel	360°

	SPEC DESCRIPTION	MEASUREMENT
7	Width Between Armrests (range)	17.25" - 25.00"
8	Armrest Height Adjustment	3.90"
	Armrest Height (range)	4.25" - 8.25"
9	Arm Pad Length	9.65"
10	Arm Pad Width	4.00"
	Arm Pad Horizontal Adjustment	0.63"
	Arm Pad Front-to-Back Adjustment	1.00"
	Arm Pad Pivot (inwards)	20°
	Arm Pad Pivot (outwards)	20°
11	Base Diameter	26.00"
	Weight Capacity	300 lbs.
	Weight of Chair	50 lbs.

*Specifications are for **A2807** in standard configuration. The Midcelli is also available with the J-Mechanism and Petite (#6 Seat Options).



MIDCELLI

DESIGN YOUR CHAIR

		CODE
MIDCELLI		A280
STEP 1	SELECT THE BACKREST MESH COLOR	
	Onyx Mesh	-0
	Platinum Mesh	-P
STEP 2	SELECT THE SEAT CONTOURING	
	Moderate Contouring	7
	Minimal Contouring	7x
	No Contouring	8
STEP 3	SELECT THE SEAT FOAM	
	Standard High Density Foam	-
	High Density Foam Plus <i>(includes an additional layer of High Density Foam)</i>	:XF
	S'port Foam	:SFS
	S'port Foam Plus <i>(includes an additional layer of S'port Foam)</i>	:SFS:XF
	Tailbone Cut <i>(includes a single layer of S'port Foam)</i>	:TBC
STEP 4	SELECT THE ARMS	
	ULTRA Arms <i>(standard)</i>	:AT127R:AT127L
	Optima Arms	:AOPR:AOPL
	Optima Arms with Upholstered Pads	:AOPHR:AOPHL
STEP 5	SELECT THE CYLINDER	
	Black Midcelli Cylinder - Standard Height <i>(standard)</i>	:Y16
	Chrome Midcelli Cylinder - Standard Height	:Y17
STEP 6	SELECT THE BASE	
	Black Midcelli Base - 26" Diameter <i>(standard)</i>	:B18
	Chrome Midcelli Base - 26" Diameter	:B19

Steps 7-10 continue on the following page.



MIDCELLI

DESIGN YOUR CHAIR (CONTINUED)

	CODE
STEP 7 SELECT THE CASTERS	
Black Multi-Surface Midcelli Casters - 65mm (<i>standard</i>)	:C18
Chrome Multi-Surface Midcelli Casters - 65mm	:C27
STEP 8 SELECT THE FABRIC (SEE FABRIC CARDS FOR FABRIC COLOR OPTIONS)	
Grade 1 Fabric	:FABRIC NAME - COLOR
Grade 2 Fabric	:FABRIC NAME - COLOR
Grade 3 Fabric	:FABRIC NAME - COLOR
Grade 4 Fabric	:FABRIC NAME - COLOR
Grade 5 Fabric	:FABRIC NAME - COLOR
Leather	:FABRIC NAME - COLOR
STEP 9 SELECT THE FABRIC STITCHING (AVAILABLE ON SELECT FABRICS)	
No Double Stitching	-
Double Stitching - Smooth	:S1
Double Stitching - Gathered	:S2
STEP 10 SELECT OTHER OPTIONS	
No Other Options	-
Customization (<i>any approved modification not listed in options</i>)	:CU